


LIGHT UP WONDERFUL VISION

Dahua Color Optic Blast (COB) LED Solutions



Dahua Color Optic Blast (COB) LED





This latest technology allows LED displays to be made with very small distances between individual luminous bulbs.

This is possible by using COB (Chip On Board) technology. With this technology, multiple LED chips are packed together on a single substrate. This enables a brighter and more efficient light source than traditional LEDs, as the multiple chips work together to emit light from a smaller area.

These micro LEDs are glued directly to the PCB. A special Color Optic Blast coating has been applied to the front, which protects the LEDs from moisture, dirt and impact and also ensures high dynamic optical range. Colours become even more sparkling. Black tones are even deeper, light tones even brighter and colours sparkle on the screen. Viewing angles also get extremely much better. All this is also accompanied by much lower power consumption*

*COMPARED TO TRADITIONAL SMD LED TECH AND, OF COURSE, ALSO COMPARED TO TRADITIONAL LCD VIDEO WALLS.

Meeting Rooms



Our COB video wall is designed to deliver crystal-clear images from any angle, making it ideal for any meeting room.

A way to elevate your presentation and engage your audience in a way you've never experienced before. The screen utilizes the latest LED technology, making it energy-efficient and durable, saving you money on your energy bill and reducing the need for frequent screen replacements.

Education



With its seamless screen and bright, vivid images, our COB video wall makes every lesson more dynamic and exciting.

It's perfect for sharing multimedia content, such as videos, animations, and interactive games, to enhance learning and engage students.

Corporate



Impress your visitors from the moment they step into your company.

Showcase your brand, culture, and values in a way that truly stands out. Make a lasting impression on your guests and leave them with a positive impression of your brand.

Unified Communications



Say goodbye to boring and outdated video conferencing setups and upgrade to our immersive and dynamic COB LED wall.

With its ultra-wide aspect ratio and stunning display capabilities it takes your communication to the next level. Providing crystal clear visuals and vibrant colors that will make you feel like you're in the same room as your colleagues using your favorite communication platform. Upgrade your communication game and experience the difference our 21:9 COB LED wall!

Complete Solutions





Optional installation service



🔊 Local reachable aftersale support by Dahua support team/certified service partner



Standard warranty 3 years



Extended warranty 5 years

Everyting included



The LED wall controller

It is an essential component of an LED video wall system, providing users with a powerful and intuitive tool for controlling and managing the display of high-quality digital content. The controller includes features such as automatic calibration, color correction, and pixel-level brightness adjustment to ensure a high-quality image display.

Installing a COB LED video wall

It is a work for specialists. Our certified insallation partners are trianed to carry out this work to perfection based on an installation voucher sold by your Dahua dealer.








Exclusively for our COB LED video wall, Vogels Professional has created mounting brackets. This way, your video wall can be perfectly mounted in any environment. Ask your dealer about the possibilities!

One stop solution







MODEL	Seize (Inch)	Resolution	Area (m2)	Width (Meter)	Height (Meter)	Aspect Ratio	Cabinets	MSRP	Controller Included	Spare Included
DHI-PHSIA1.2-CH-108	108	1920x1080	3.24	2.4	1.3	16:9	4x4	19999	M600	10%
DHI-PHSIA1.5-CH-135	135	1920x1080	5.06	3	1.7	16:9	5x5	24999	M600	10%
DHI-PHSIA1.2-CH-162	162	2880x1620	7.28	3.6	2.0	16:9	6x6	49799	MCTRL4K	10%
DHI-PHSIA0.9-CH-162	162	3840x2160	7.28	3.6	2.0	16:9	6x6	118499	MCTRL4K	10%
DHI-PHSIA1.2-CH-216	216	3840x2160	12.94	4.8	2.7	16:9	8x8	84399	MCTRL4K	10%
DHI-PHSIA0.9-CH-103	103	2560x1080	2.43	2.4	1.0	21:9	4x3	42999	MCTRL4K	10%
DHI-PHSIA1.2-CH-151	151	2880×1080	4.86	3.6	1.4	21:9	6x4	34999	MCTRL4K	10%

SAHARA BENELUX

Hoofdkantoor Achtseweg Zuid 153R, 5651 GW Eindhoven, the Netherlands Magazijn Achtsweg Zuid 157, 5651 GW Eindhoven, the Netherlands **EMAIL**: sales@saharabenelux.nl

EMAIL: sales@saharabenelux.r **WEB:** www.saharabenelux.nl

